

# 28" LED UHD Monitor

MW3228-F



## Key Features


- 4K Ultra-HD resolution
- Slim narrow bezel design
- Using tamper-proof metal housing
- Long life cycle and stability, suitable for continuous 24/7 operation
- User-friendly operation menu, which is simple to operate
- Wide viewing angle, undistorted
- Wide array of connectivity options HDMI, DP, VGA, DVI

## Specifications


Model	MW3228-F
<b>Display</b>	
Display Type	LED Backlight
Screen Size	28"
Pixel Pitch(mm)	0.16(W) x 0.16(H)
Max Resolution	3840×2160
Brightness	300 cd/m <sup>2</sup>
Contrast	1000:1
Response Time	5ms
color	1.07B
Viewing Angle	Horizontal 170°, Vertical 160°
<b>Interface</b>	
VGA	1
HDMI	1
DP	1
DVI	1
<b>Audio</b>	
Audio Input	1
Speaker	2×3W
<b>OSD</b>	
Multi- Language	7(English, Spanish ,Korea, Simplified Chinese, France, Russia, Japanese)
<b>Mounting</b>	
VESA	100×100
<b>General</b>	
Power supply	AC 100~240V, 50~60Hz
Consumption	<40 W(on) <1W(Standby)
Operation Temperature	0°C ~ 40 °C
Operating Humidity	10%~85% (No Condensation)
Storage Temperature	-10°C ~50°C
Storage Humidity	10%~90% (No Condensation)
Dimension (mm)	660.9(W) × 388.3(H) × 49(D)
Weight:	Net Weight: 7.75 Kg    Cross Weight: 9.4Kg
<b>Accessory</b>	
Standard	HDMI cable, Power cable ,Quick Guide
Optional	Hanging bracket, Pedestal

## Appearance

## Dimensions



## Interfaces



No.	Name
1	Switch
2	AC Power IN
3	DVI IN
4	AUDIO IN
5	VGA IN
6	DP IN
7	HDMI IN

**Zhejiang Uniview Technologies Co.,Ltd.**

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2017 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.